



TOWORKFOR®

BOLDLY SAFE

**OPEN THIS
AT YOUR
OWN RISK**





BOLDLY SAFE.

TOWORKFOR is a brand for real hard-working people.

Everything we do is bold in design, innovation, and technology, thinking about those who face real risks, every day. After all, if all the workers must be bold in their daily life, the least we can do is to be bold, too.

When risk is everywhere, safety is everything.

ARE YOU BOLD ENOUGH?



TOWORKFOR®

BOLDLY SAFE



WORKOUT	3 - 6
WORKOUT - OCCUPATIONAL	7 - 8
SAFETY RUNNERS	9 - 12
X-FAST	13 - 14
URBAN	15 - 16
FULL-GRIP MICHELIN	17 - 20
ADVANTAGE	21 - 22
FUSION	23 - 24
VOLT1	25 - 28
MOUNTAIN SQUAD	29 - 30
TECHNICAL SPECS	31 - 34





**ASK US TO DO
SAFETY SHOES
WITH A SPORTY
LOOK AND WE'LL
JUST DO IT.**



TOWORKFOR®



TOWORKFOR®
BOLDLY SAFE

WORKOUT

WORK AS A SPORT. WIN LIKE A BOSS.



X-STABILIZER REINFORCEMENT

Ankle support that adjusts and gives better balance. Lace reinforcement and provides extra safety.

FLOAT INSOLE

Non-metalli, extremely light and flexible, ideal for long activities. Excellent sweat absorptions.

ACTIVE FOAM INSOCK

Foam that helps to prevent muscle fatigue, while relieving heel pressure.



MATERIAL 3D AIR FLOW / DRY FIT KNIT

Extremely breathable and flexible 3D Mesh, ideal for warm environments and long activities.

S1P Certification

TOE CAP ALUMINIUM REINFORCED

Lightweight toe cap against pressure up to 200 Joules. Rubber coating for extra protection and easy cleaning.

TRIPLE SPEED EVA & RUBBER SOLE

Smooth and extremely light midsole with a thin layer of ESD rubber. Oil resistancy and self-clean system.

SRC ESD Certification



ACTIVEFOAM
HIGH DENSITY PERFORMANCE

FLOAT



TRIPLE SPEED





SUPER SET GREY

8A21.81 S1P | SRC | ESD



SUPER SET YELLOW

8A21.85 S1P | SRC | ESD



WARM UP YELLOW

8A24.65* S3 | SRC | ESD



WARM UP RED

8A24.67* S3 | SRC | ESD



HAMMER

8A21.90 S3 | SRC | ESD



HAMMER BOOT

8B21.90 S3 | SRC | ESD

WORKOUT

TOWORKFOR®

MATERIALS

UPPER 3D AIR FLOW /
*DRY FIT KNIT
LINING Space 3D
SOLE Triple Speed Eva & Rubber
TOE CAP Aluminium Reinforced
INSOLE Float
INSOCK Active Foam
SIZES 36 - 48

ADVANTAGES

- ✓ Anti-slip performance
- ✓ Sporty look
- ✓ Light
- ✓ Versatile
- ✓ Breathable
- ✓ Comfortable

WORK ENVIRONMENT

- Indoor Jobs
- Courier
- Administrative
- Warehouse
- Shopkeeper
- Logistic Work



TOWORKFOR®
BOLDLY SAFE

WORKOUT OCCUPATIONAL

LIGHTER ON SAFETY,
LIGHTER TO WEAR ALL DAY.



X-STABILIZER REINFORCEMENT

Ankle support that adjusts and gives better balance. Lace reinforcement and provides extra safety.



ACTIVE FOAM INSOCK

Foam that helps to prevent muscle fatigue, while relieving heel pressure.

MATERIAL 3D AIR FLOW

Extremely breathable and flexible 3D Mesh, ideal for warm environments and long activities.

01 Certification

TRIPLE SPEED EVA & RUBBER SOLE

Smooth and extremely light midsole with a thin layer of ESD rubber. Oil resistancy and self-clean system.

SRC ESD Certification



ACTIVEFOAM
HIGH DENSITY PERFORMANCE

FLOAT



STRIKESPEED





OCCUPATIONAL



WORKOUT

+
+
+
+
+
+

TOWORKFOR®

8



OCC SUPER SET BLUE

9A21.83 01|SRC|ESD



OCC SUPER SET BLACK

9A21.80 01|SRC|ESD



OCC SUPER SET RED

9A21.87 01|SRC|ESD



OCC SUPER SET YELLOW

9A21.85 01|SRC|ESD



OCC SUPER SET WHITE

9A21.88 01|SRC|ESD



OCC SUPER SET DARK BLUE

9A21.86 01|SRC|ESD

MATERIALS

UPPER 3D AIR FLOW
LINING Space 3D
SOLE Triple Speed Eva & Rubber
INSOCK Active Foam
SIZES 36 - 48

ADVANTAGES

- ✓ Anti-slip performance
- ✓ Sporty look
- ✓ Light
- ✓ Versatile
- ✓ Breathable
- ✓ Comfortable

WORK ENVIRONMENT

- Indoor Jobs
- Courier
- Administrative
- Warehouse
- Shopkeeper
- Logistic Work



ONE LESS REASON TO COMPLAIN AT WORK.



TOWORKFOR®



TOWORKFOR®
BOLDLY SAFE

SAFETY RUNNERS®

THE BEST SELLER IS EVEN BETTER.



BIORELAX INSOCK

Total recovery insock with active carbon filter to reduce odour.

FITTING DESIGN

Smooths the entry of the foot and guarantees a better fitting.

MICROFIBER / SUEDE LEATHER

Water resistant, breathable and highly durable materials.

S3 Certification

Q-FLEX INSOLE

Anti-perforation, non-metallic and anti-static insole.



AIR TUBELESS RUBBER SOLE

Exclusive patent technology that provides higher level of comfort.

SRC ESD Certification

ALUMINIUM TOE CAP

Lightweight toe cap against pressure up to 200 joules.





SAFETY RUNNERS



NOOSA

8A20.22* S3 | SRC | ESD



WILDFLOWER

8A20.27* S3 | SRC | ESD



GRAFITTI

8A86.07 S3 | SRC | ESD



REBEL

8B86.07 S3 | SRC | ESD



URBAN

8A86.00 S3 | SRC | ESD



POWER

8B86.00 S3 | SRC | ESD

TOWORKFOR®

MATERIALS

UPPER Microfiber /
*Suede Leather
LINING Poromax
SOLE Air Tubeless - Rubber
TOE CAP Aluminium
INSOLE Q-Flex - Composite
IN SOCK Biorelax
SIZES 36 - 47

ADVANTAGES

- ✓ Anti-slip performance
- ✓ Water resistant materials
- ✓ Sporty look
- ✓ Breathable
- ✓ Versatile
- ✓ Comfortable

WORK ENVIRONMENT

-  Transport
-  Courier
-  Administrative
-  Warehouse
-  Shopkeeper



TOWORKFOR®
BOLDLY SAFE

X-FAST

LIGHT AS A FEATHER, *TOUGH AS A ROCK.*

X-HEEL SUPPORT

Superb stability and flexibility for the foot.

BIORELAX INSOCK

Total recovery insock with active carbon filter to reduce odour.

Q-FLEX INSOLE

Anti-perforation, non-metallic and anti-static insole.

SAFELIGHT EVA SAFETY SOLE

Smooth, lightweight with excellent anti-slip and heat resistance features.

SRC HRO Certification

ARBOL HRYDRO FABRIC | MICROFIBER | TECHNICAL JACQUARD

Water resistant, breathable and highly durable materials. Arbol Hydro Fabric has a reflective technology.

S3 / S1P Certification

ALUMINIUM TOE CAP

Lightweight toe cap against pressure up to 200 joules.





X-RN

8A01.91 S1P | SRC | HRO



X-02

8A01.20* S3 | SRC | HRO



X-H2

8A01.28* S3 | SRC | HRO

X-FAST

TOWORKFOR®

MATERIALS

UPPER Technical Jacquard /
*Microfiber
LINING Poromax
SOLE Safelight - EVA Safety
TOE CAP Aluminium
INSOLE Q-Flex - Composite
INSOCK Biorelax
SIZES 35 - 48

ADVANTAGES

- ✓ Anti-slip performance
- ✓ Water resistant materials
- ✓ Sporty look
- ✓ Breathable
- ✓ Lightweight
- ✓ Comfortable

WORK ENVIRONMENT

- Administrative
- Logistic Work
- Warehouse
- Indoor Jobs
- Industry
- Courier
- Shopkeeper



TOWORKFOR®
BOLDLY SAFE

URBAN COLLECTION

EVEN YOUR BOSS ISGONNA SEEM A COOL GUY.



TEXTILE ■
Highly resistant material.
S3 Certification


Q-FLEX INSOLE ■
Anti-perforation, non-metallic
and anti-static insole.

**BASKET ■
RUBBER SOLE**
Exclusive design that
guarantees higher
flexibility, comfort
and elasticity
SRC ESD Certification

■ **MICROFIBER**
Water resistant and highly durable
material made of polyester fibers.
Animal Friendly.
S3 Certification

■ **STEEL TOE CAP**
Protects against pressure
up to 200 Joules.

■ **COMFORT
INSOCK**
Soft and light with
anti-static points.
Easy to remove for
cleaning and drying.





URBAN



HALF PIPE

8A11.23 S3 | SRC | ESD



OLLIE NAVY

8B11.23 S3 | SRC | ESD



NOSESLIDE

8A18.73 S3 | SRC | ESD



BOARDSLIDE

8A18.71 S3 | SRC | ESD

SO USER-FRIENDLY, COMFORTABLE
AND FUNCTIONAL **THAT CASUAL
FRIDAYS JUST BECAME DAILY.**

TOWORKFOR®

MATERIALS

UPPER Microfiber & Textile
LINING Poromax
SOLE Basket - Rubber
TOE CAP Steel
INSOLE Q-Flex - Composite
INSOCK Comfort
SIZES 35 - 47

ADVANTAGES

- ✓ Anti-slip performance
- ✓ Water resistant materials
- ✓ Sporty look
- ✓ Breathable
- ✓ Lightweight
- ✓ Comfortable

WORK ENVIRONMENT

- Administrative
- Logistic Work
- Warehouse
- Indoor Jobs
- Industry
- Courier
- Shopkeeper



THESE BOOTS ARE NOT SAFE FOR OTHER BRANDS.



TOWORKFOR®

 **TOWORKFOR®**
BOLDLY SAFE

**FULL
GRIP™**

SOLES
BY





TOWORKFOR®
BOLDLY SAFE



FULL GRIPPING POWER FOR CHALLENGING JOBS.



HEEL SUPPORT SYSTEM

Special system that strengthens the heel portion of the footwear. Stabilizes the leg and protects the heel.

COMFORT INSOCK

Soft and light with anti-static points. Easy to remove for cleaning and drying.

Q-FLEX INSOLE

Anti-perforation, non-metallic and anti-static insole.



MICHELIN NORTH NITRILE RUBBER SOLE

Exclusive design and compound with great abrasion resistance, anti-static characteristics and excellent oils and fire resistance.

SRC HRO Certification

NUBUCK LEATHER | FLOATER - PRINTED LEATHER | CRAZY HORSE LEATHER

Long lasting, flexible, breathable, and water resistant materials.

S3 Certification

CARBONLIGHT TOE CAP

Non-metallic and ultra-light toe cap against pressure up to 200 joules.

TOE REINFORCEMENT

Extra protection and resistance.





FULL-GRIP MICHELIN



BRAKE

6A06.20 S3 | SRC | HRO



WHEELS

6B06.20 S3 | SRC | HRO



FUEL

6B05.20 S3 | SRC | HRO

MATERIALS

UPPER Black Nubuck Leather
LINING Poromax
SOLE Michelin North - Nitrile Rubber
TOE CAP Carbonlight - Composite
INSOLE Q-Flex - Composite
INSOCK Comfort
SIZES 36 - 47

ADVANTAGES

- ✓ Anti-slip performance
- ✓ High Durability
- ✓ Non-metallic
- ✓ Versatile
- ✓ Breathable
- ✓ Comfortable

WORK ENVIRONMENT

- Mechanic
- Construction
- Engineering
- Oil platforms
- Outdoor Jobs
- Industry

TOWORKFOR®



TOWORKFOR®
BOLDLY SAFE

ADVANTAGE

THE BEST TOOL YOU CAN WEAR.



COMFORT INSOCK

Soft and light with
anti-static points.
Easy to remove for
cleaning and drying.

Q-FLEX INSOLE

Anti-perforation, non-metallic
and anti-static insole.

NITRILE RUBBER

FUSION PU / NITRILE RUBBER SOLE

Extremely soft and comfortable
PU midsole in combination with a
nitrile rubber outsole which provides
excellent grip.

SRC HRO Certification

NUBUCK LEATHER | PRINTED LEATHER

Long lasting, flexible and
breathable.

S3 Certification

CARBONLIGHT TOE CAP

Non-metallic and ultra-light
toe cap against pressure
up to 200 Joules.

TOE REINFORCEMENT

Extra protection and resistance.





SILVERSTONE

6A51.95 S3|SRC|HRO



NÜRBURGRING

6B51.95 S3|SRC|HRO



MONZA

6B50.91* S3|SRC|HRO

ADVANTAGE

TOWORKFOR®

MATERIALS

UPPER Nubuck Leather /
*Printed Leather

LINING Poromax

SOLE Fusion - PU / Nitrile Rubber

TOE CAP Carbonlight - Composite

INSOLE Q-Flex - Composite

INSOCK Comfort

SIZES 36 - 47

ADVANTAGES

- ✓ Anti-slip performance
- ✓ High Durability
- ✓ Non-metallic
- ✓ Stability
- ✓ Breathable
- ✓ Comfortable

WORK ENVIRONMENT

-  Construction
-  Engineering
-  Outdoor Jobs
-  Industry
-  Mechanic



TOWORKFOR®
BOLDLY SAFE



FUSION

SAFETY ENGINEERING *RIGHT ON YOUR FEET.*

RUB X PRO HEEL SUPPORT

Higher protection for the foot with extreme balance and stability features.

COMFORT INSOCK

Soft and light with anti-static points. Easy to remove for cleaning and drying.

Q-FLEX INSOLE

Anti-perforation, non-metallic and anti-static insole.

FUSION BICOLOR PU SOLE

Extremely soft and comfortable PU midsole in combination with a hard PU outsole which provides great grip.

SRC Certification

HYDRATEC

Waterproof membrane that keeps the foot warm and dry in extreme situations.

NUBUCK LEATHER

Long lasting, flexible and breathable.

S3 Certification

CARBONLIGHT TOE CAP

Non-metallic and ultra-light toe cap against pressure up to 200 Joules.

TOE REINFORCEMENT

Extra protection and resistance.





HIKER BLACK

6B84.20 S3 | SRC | WR



HIKER BROWN

6B84.22 S3 | SRC | WR

**ADVANCED,
COMFORTABLE
AND NON METALLIC
SAFETY SHOES.**



MATERIALS

UPPER Nubuck Leather
LINING Space 3D + Hydratec
SOLE Fusion - Bicolor PU
TOE CAP Carbonlight - Composite
INSOLE Q-Flex - Composite
IN SOCK Comfort
SIZES 36 - 47

ADVANTAGES

- ✓ Anti-slip performance
- ✓ Water resistant materials
- ✓ Comfortable
- ✓ Breathable
- ✓ Non-metallic
- ✓ Stability
- ✓ High durability

WORK ENVIRONMENT

-  Industry
-  Engineering
-  Mechanic
-  Construction
-  Outdoor Jobs

FUSION

TOWORKFOR®



THE STORY OF HOW YOU SURVIVED STARTS WITH YOU SEEING THIS AD.



PROTECTS UP TO
18000 VOLTS*

TOWORKFOR®

 **TOWORKFOR®**
BOLDLY SAFE

VOLT1



TOWORKFOR®
BOLDLY SAFE

VOLT1

SPECIALLY DESIGNED FOR ELECTRICIANS.



SYMPATEX LINING **sympatex®**

Waterproof membrane which absorbs the water vapor and removes it through the lining to the outside.

INSULATING PU INSOCK

Specially developed for those who work with electricity.

NUBUCK LEATHER

Long lasting, flexible and breathable.

S3 Certification

CARBONLIGHT TOE CAP

Non-metallic and ultra-light toe cap against pressure up to 200 Joules.

Q-FLEX INSOLE WITH CORK INSOLE

Anti-perforation, non-metallic and anti-static insole.

NITRILE RUBBER

FUSION PU / NITRILE RUBBER SOLE

Extremely soft and comfortable PU midsole in combination with a special insulating nitrile rubber outsole against electrostatic discharges.

SRC HRO Certification

TOE REINFORCEMENT

Extra protection and resistance.





OHM

6A15.20 SB | P | SRC | FO | E | WR | WRU | HRO*



WATT

6B15.20 SB | P | SRC | FO | E | WR | WRU | HRO*



**THE NUMBER 1 PROTECTION
FOR HIGH VOLTAGE WORKERS.**



MATERIALS

UPPER Nubuck Leather
LINING Sympatex
SOLE Fusion - PU / Nitrile Rubber
TOE CAP Carbonlight - Composite
INSOLE Q-Flex - Composite + Cork
INSOCK Insulating PU
SIZES 36 - 47

ADVANTAGES

- ✓ High Durability
- ✓ High temperatures resistance
- ✓ High voltages proof
- ✓ Non-metallic
- ✓ Anti-slip performance

WORK ENVIRONMENT

- Electricians
- Railway Workers
- Electric Cars Mechanics

VOLT1

TOWORKFOR®

*Tested and approved at a voltage of 18000 V at 60Hz for one minute according to ASTM F2413-18 American standard.



TOWORKFOR®
BOLDLY SAFE

MOUNTAIN SQUAD

THE ULTIMATE SOLUTION FOR *FORESTRY WORKERS.*

ANTI-CUTTING TECHNOLOGY

Guaranteed protection against all types of cuts caused by chainsaws.

PERWANGER® & ANILINE PREMIUM LEATHERS

Water and scratch resistant leather with excellent breathable and durability features. Exclusively from alpine pastures and selected suppliers.

SKOVSON NITRILE RUBBER SOLE

Exclusive design that guarantees higher flexibility, comfort and elasticity. Special traction and grip for mountain environments.

SYMPATEX® LINING

Waterproof membrane which absorbs the water vapor and removes it through the lining to the outside. It keeps the foot warm and dry even in extreme situations.



2





LUMBERJACK

8D65.11 S3 | SRC | WR | HRO | CLASS 2



MATERIALS

UPPER Perwanger Leather
LINING Sympatex
SOLE SKOVSON Nitrile Rubber
TOE CAP Steel
INSOLE Steel
INSOCK Comfort
SIZES 38 - 47

ADVANTAGES

- ✓ High Temperatures Resistance
- ✓ Cut Resistance
- ✓ Protection 360°
- ✓ Water resistant materials

WORK ENVIRONMENT

- Lumberjack
- Forest
- Outdoor Jobs



TREK1

6B65.11 S3 | SRC | WR | HRO



MATERIALS

UPPER Perwanger Leather
LINING Sympatex
SOLE Fusion PU / Nitrile Rubber
TOE CAP Carbonlight
INSOLE Steel
INSOCK Comfort
SIZES 36 - 47

ADVANTAGES

- ✓ Anti perforation
- ✓ Waterproof
- ✓ Breathable

WORK ENVIRONMENT

- Gardening
- Farming
- Forest
- Outdoor Jobs

SKOVSON

SKOVSON technology is made with a special high-performance compound, extremely durable and focused on providing the best grip and traction possible. Designed thinking about mountain weather, this technology is wet and slippery conditions proof, perfect for outdoor jobs and activities. SKOVSON technology is also flexible with high levels of ground adaptability, giving you comfort and helping maintain stability.





TOWORKFOR SOLES



SAFELIGHT EVA SAFETY SOLE


EVA is one of the best materials in terms of impact absorption and lightness. The SAFELIGHT sole innovates with a special EVA compound specific for safety footwear: anti-static with excellent abrasion characteristics, non-slip and resistant to high temperatures up to 300°C.

EVA SAFETY



AIR TUBELESS RUBBER SOLE

The AIR TUBELESS sole offers excellent anti-slip performance, durability, resistance to fuels and oils, and is electrostatic dissipative conductive - ESD. This innovation prevents foot and lower back pain, produces a smoother walking pattern and reduces impact forces by 55%, increasing the perception of comfort.



MICHELIN NORTH NITRILE RUBBER SOLE

Nitrile Rubber stands out for its great fuel, oils, and fire resistance temperatures up to 300°C. The MICHELIN NORTH sole is inspired by ice and mud winning tyres, providing a multifunctional sole with full traction, grip and control, designed for all outdoor work activities.



BASKET RUBBER SOLE

Rubber offers excellent durability, resistance to fuels and oils, and is electrostatic dissipation conductive - ESD. The BASKET sole has excellent anti slip performance, both on wet and ceramic floors and its exclusive design is inspired in basketball shoes to ensure greater flexibility, comfort, and elasticity.



ATOMIC TPU BICOLOR SOLE

TPU is a soft and flexible high-quality material with superior resistance to wear and abrasion. The bicolor ATOMIC sole is ESD certified and ensures full ground contact, providing excellent slip resistance characteristics. The rounded heel transfers the energy of the impact force from the heel to the elevation of the foot, increasing the perception of comfort.



HERO NITRILE RUBBER SOLE

The HERO sole in nitrile rubber, stands out for its resistance to fuel, oils and high temperatures up to 300°C. The good depth of groove in its design offers excellent surface grip on wet steel or uneven industrial flooring, while the rounded heel transfers the energy of the impact force to the elevation of the foot, reducing tiredness.



BASKET ECO RUBBER SOLE

A biodegradable sole with environmentally friendly SOLESTAINABLE technology, made with wood cellulose, rubber and recycled waste raw materials. The BASKET sole design offers the same cleats for maximum grip and adaptation to different indoor flooring and the same GRIP SYSTEM Heel for extra stability and durability.



FUSION PU | NITRILE RUBBER SOLE

The FUSION sole has a flexible and lightweight soft polyurethane midsole, which ensures excellent impact return energy and comfort for prolonged use. The hard nitrile rubber outsole provides extreme durability and resistance to fuels, oils and high temperatures.



SPHAIR AIR BUBBLE TECHNOLOGY

SPHAIR Air Tubeless is a revolutionary technology with an insulated layer of air beads that offer an extreme feeling of comfort, shock absorption and ultra-lightness. It also has a unique Single Action Cleats system for superior grip, great traction control, and a unique multi rebound effect.



SKOVSON NITRILE RUBBER SOLE

SKOVSON technology is made with a special high-performance, flexible compound and high levels of adaptability to the ground, for extra comfort and stability. Designed for mountain climate and outdoor work or activities, the SKOVSON sole is extremely durable, moisture-proof and provides top grip and traction even in slippery conditions.



TRIPLE SPEED EVA & RUBBER SOLE

TRIPLE SPEED technology is based on the performance of sports shoes. The EVA midsole provides extra lightness, comfort, and impact absorption, while the rubber outsole design offers a self-cleaning system for no dirt accumulation, maximum anti-slip performance and optimal resistance to oil and abrasion.



TRIPLE DENSITY PU SOLE + SMOOSH

The perfect combination of three different PU densities results in this TRIPLE DENSITY sole, with an extremely soft and comfortable midsole, a hard PU outsole for great grip and resistance to oil and abrasion and, best of all, the insert of SMOOSH technology in the heel to offer maximum comfort, impact absorption and rebound effect.



CITY PU SOLE

Polyurethane is flexible, lightweight, and resistant to oil and 120°C heat. The CITY sole has soft polyurethane which guarantees excellent restitution of impact energy, softness, and comfort for prolonged use. It's extremely light, flexible, and elastic. It has good adhesion, good slip, and heat resistance.



PARK SOLE NITRILE RUBBER

Designed to offer the best performance in everyday firefighting, PARK's nitrile rubber outsole offers maximum resistance to abrasion, fuel, oils, and fire up to 300°C. Its exclusive design ensures maximum grip, flexibility, comfort, and elasticity.



DOUBLE DENSITY PU SOLE

This sole blend two different PU densities, where the midsole is extremely soft and comfortable, while the hard PU outsole provides great grip and resistance to oil and abrasion. The minimalist design of the outsole offers excellent traction, anti-slip and durability characteristics to get the job done - no matter the floor.





TOWORKFOR INSOLES AND INSOCKS



BIORELAX
ANTI-FATIGUE INSOCK

Anti-fatigue and anti-bacterial insole with an active carbon base. Super comfortable, 100% breathable, extra-light, anti-static, and made with recycled materials.



COMFORT
ANTI-FATIGUE INSOCK

Polyurethane foam insole with anti-static dots. Supports and stabilises the foot, optimising weight distribution and facilitating balance.



CARBONPRO^{HY}
ANTI-FATIGUE INSOCK

Made with the best conductive foam for great anti-static, lightness, and impulse performance. Microperforated for better air circulation, quick drying, and anti-odour.



ACTIVEFOAM
HIGH DENSITY PERFORMANCE
ANTI-FATIGUE INSOCK

Made with special foam, this insole relieves pressure on the heel to promote active recovery and prevent muscle fatigue. Light, anti-static, breathable and very comfortable to wear.



Q-FLEX
COMPOSITE INSOLE

Non-metallic and anti-static protective insole, made of advanced composite materials. Anti-perforation protection, with greater flexibility and ergonomic, thermally insulating.



STEEL
STEEL INSOLE

Stabilizing insole made of steel which, being metallic, offers high levels of anti-perforation. It also has anti-static and anti-perforation features.



CORK
CORK INSOLE

Made with high quality materials with excellent resistance to water, petrol, and oils. It's perfect for heavy and long-lasting physical work. It works as a thermal regulator, and it is also very flexible and has great breathability properties.



FLOAT
FLOAT INSOLE

Anti-perforation protective insole with non-metallic, sweat-absorbing, lightweight and flexible characteristics, which provides high levels of comfort. Ideal insole for shoes used for long daily routines.

TOWORKFOR TOE CAPS



CARBONLIGHT
COMPOSITE TOE CAP

Protects the toes against mechanical damage and pressures of up to 200 Joules. Does not disintegrate under high loads. It is thermally insulating. Up to 50% lighter than insulating steel.



ALUMINIUM
ALUMINIUM TOE CAP


Protects the toes against mechanical damage and pressure up to 200 Joules. Not subject to corrosion, has low thermal conductivity. Up to 50% lighter than steel.



STEEL
STEEL TOE CAP

This traditional, reliable, and safe toe cap protects the toes against mechanical damage and pressures of up to 200 Joules.

TOWORKFOR MATERIALS



PERWANGER® PREMIUM LEATHER



Exclusively from premium high quality Alpine region cattle, this premium leather is waterproof, breathable, scratch-resistant, and highly durable even in rough and rocky terrain.



ANILINE PREMIUM LEATHER

High quality leather with excellent resistance to water, petrol, and oils. It is great for heavy physical work, long-lasting. This material is very flexible and has good breathability features.



NUBUCK NUBUCK LEATHER

Soft treated leather, with excellent perspiration characteristics that significantly increase the level of comfort. Excellent resistance and durability.



SUEDE SUEDE LEATHER

Treated leather with excellent breathability and flexibility characteristics. Not water resistant, but perfect for working in hot and dry weather.



RE-CANVAS RECYCLED PET TEXTILE

Re-Canvas is a more environmentally friendly, durable, and water-resistant weave textile. Made from natural biodegradable and recycled fibres, this material also offers excellent breathability and heat regulation features.



MICROFIBER POLYESTER FIBERS

Innovative material made of polyester fibers, water resistant and highly durable. Allows natural breathing. Prevents a wide range of colours that keeps with the shoe throughout its life. Animal Friendly.




MESH POROMAX ABSORBENT LINING

Innovative technology due to a special structure of internal chambers that removes hot moist air over the top of the shoe and facilitates uniform temperature distribution within the shoes.



MESH SPACE 3D MESH LINING

Special Mesh knit for excellent breathability and flexibility. The high durability of the material allows to keep the properties throughout the period of use.



DRY FEET KNIT POLYESTER FIBERS

DRY FEET KNIT is a revolutionary technology that is highly breathable, flexible and abrasion resistant. The extremely malleable fibres are designed to easily adapt to the ankle and foot, while the anti-sweat proportions help keep the foot always dry even in hot and moist environments.



HYDRATEC® WATERPROOF MEMBRANE

HYDRATEC® is a special membrane which absorbs the water vapor and removes it through the lining to the outside. This keeps the foot warm and dry even in extreme situations. The best feature is that the higher the physical activity, the more efficient the Hydratec membrane works. This technology also provides effective protection from low temperatures and rain.

OTHER TECHNOLOGIES

sympatex®

WATERPROOF MEMBRANE

FAST FIT

SMART & FITTING LACE SYSTEM

X-BALANCE PRO

X-BALANCE PRO

SMOOSH
REBOUND LAYER

EXTRA PROTECTION LAYER



TOWORKFOR STANDARDS



STANDARDS

EN ISO 20344:2011 - Test methods for footwear designed as Personal Protective Equipment.

EN ISO 20345:2011 - Specifications for safety footwear for general use: footwear with specific characteristics to protect the user against injuries that might occur in the work place. Fit out with a toecap, this footwear protects the user against crushing impacts with a protection provided on 200 Joules.

EN ISO 20347:2012 - Specifications for safety footwear: footwear with specific characteristics to protect the user against injuries that might occur in the work place. (This footwear is not equipped with toecap for the protection).

ASTM F2413-18 - Shoes and boots tested and approved at a voltage of 18000 V at 60Hz for one minute.

SYMBOL	REQUIREMENTS /CHARACTERISTICS	NECESSARY PERFORMANCE
P	Penetration resistance sole	≥ 1100 N
E	Heel energy absorption	≥ 20 J
A	Antistatic footwear	Between 0,1 and 1000 MΩ
C	Conductive footwear	< 0,1 MΩ
EN 50321	Electrically insulating footwear	Class 0 or 00
WRU	Water penetration resistant uppers	≥ 60 min.
CI	Insulation against cold	Test at -17°C
HI	Insulation against heat	Test at 150°C
HRO	Resistance to hot contact of the outsole	Test at 300°C
FO	Resistance to fuel oil of the outsole	≤ 12%
WR	Water Resistance	≤ 3 cm ²
M	Metatarsal protection	≤ 40 mm (Size 41/42)
AN	Ankle protection	≤ 10 kN
CR	Cut resistance of the upper	≥ 2,5 (index)
HI3	Heat insulation inside the footwear	
F2A	Meets all type 2 requirements	

SYMBOL	SLIP RESISTANCE	NECESSARY PERFORMANCE
SRA	Ceramic + Sodium lauryl sulfate	Heel ≥ 0.28 / flat ≥ 0.32
SRB	Steel + glycerin	Heel ≥ 0.13 / flat ≥ 0.32
SRC	SRA + SRB	
ESD	Electrostatic discharge	Between 0,1 and 1000 MΩ

CATEGORY CLASS REQUIREMENTS SYMBOLS

SB		Shoe with basic requirements - footwear with toecap - resistant to 200 Joules.	
S1	I	Closed heel area Antistatic properties Heel energy absorption Resistance to oils	A E FO
S1P	I	Like S1 integrated by perforation resistant	A/E/FO/P
S2	I	Like S1 integrated by water penetration and absorption.	A/E/FO WRU
S3	I	Like S2 integrated by perforation resistant Cleated outsole	A/E/FO WRU/P
O1	I	Closed heel area Antistatic properties Heel energy absorption	A E
O2	I	Like O1 integrated by water penetration and absorption	A/E/WRU

MATERIALS AND PRODUCTION

All the materials used, either natural or synthetic, and also the applied production techniques were chosen to comply with the requirements of the above European standard in what concerns safety, ergonomics and comfort.

Besides the required basic characteristics, the footwear may have additional characteristics indicated by the symbols or categories in the labels inside the footwear.

REQUIRED CHARACTERISTICS

FOOTWEAR: Upper height; heel; sole performance (production and resistance to the detachment of the upper/sole); feet protection and toecap characteristics (except EN ISO 20347), anti-slip properties.

UPPER: Upper materials characteristics, lining, tongue, insole/sock (resistance to tear and abrasion, traction characteristics, water vapor permeability, pH and absorption and desorption for the insole/sock and midsole).

SOLE: Production and resistance to tear, abrasion, flexion, hydrolysis, sole/midsole detachment, oil and hydrocarbons (EN ISO 20345 S1-S2-S3).



CARBONLIGHT
Toecap impact resistant up to 200 Joules



100% NON METALLIC



LAMBSKIN FUR



SUEDE



ALUMINIUM
Toecap impact resistant up to 200 Joules



WATER IMPERMEABILITY



MICROFIBER



ESD
ElectroStatic Discharge



STEEL
Toecap impact resistant up to 200 Joules



RESISTANCE TO WATER ABSORPTION



MESH SPACE 3D



EH
Electrical Hazard Protection



Q-FLEX
Perforation resistant



HEAT RESISTANT SOLE UP TO 300°C



MESH POROMAX



S3
Resistance to water penetration



STEEL
Perforation resistant



CLASS 2
Chainsaw Protection



ANILINE PREMIUM



S1P
Closed Heel Area



FLOAT
Perforation resistant



THINSULATE
Cold Insulating



NUBUCK



SOLE SUSTAINABLE
Green Tech



TOWORKFOR®

BOLDLY SAFE

OFFICIAL DISTRIBUTOR



armor
safety-footwear



050-31 65 824



info@armor.nu



www.armor.nu

STALK US



in



BUILT BY **AMF**